



**Wastewater Treatment Utility**  
 500 South River Road  
 West Lafayette, Indiana 47906  
 Voice: (765) 775-5145  
 Fax: (765) 775-5149

## MONTHLY REPORT OF OPERATIONS

### National Pollutant Discharge Elimination System -- NPDES

#### July 2015--MONTHLY AVERAGES

#### Limit

TSS	4	mg/l	(30.00)
CBOD	2.8	mg/l	(25.00)
NH <sub>4</sub>	0.16	mg/L	(6.00)
Cl <sub>2</sub>	0.023	mg/L	(0.06)
E. COLI	4	#/100ml	(125.00)
FLOW TOTAL	289.71	MG	
	AVG	9.34	MGD
	MAX	16.44	MGD
	MIN	6.27	MGD
PRECIPITATION	6.44	INCHES	

#### July 2015--PERCENT REMOVALS

TSS	96.4	REPORT ONLY
CBOD	96.3	REPORT ONLY
Ammonia	98.9	REPORT ONLY
Phosphorus	43.1	REPORT ONLY

#### COMBINED SEWER OVERFLOWS

July 2015	MG	HOURS	Events
<b>TOTAL FLOW</b>	<b>309.54</b>		
<b>PERCENT FULLY TREATED</b>	<b>93.5940</b>		
<b>OVERFLOW POINT</b>			
DEHART STREET	0.6670	11.9	5
QUINCY STREET	2.1920	5.58	4
Wet Weather Treatment Facility	16.9700	7.22	5
<b>OVERFLOW TOTAL</b>	<b>19.8290</b>	<b>24.70</b>	<b>14</b>